# CRSP/COMPUSTAT RELEASE NOTES

MARCH 2023 MONTHLY UPDATE

#### COMPUSTAT DATA ERROR

Compustat has corrected a known scaling issue with the Compustat Housing Starts data item (HOUSE). Scaling was in thousands prior to January 2012, after which it switched to billions scaling, which was also incorrect. CRSP has changed the data format to accommodate the Compustat correction, and there are no longer any missing HOUSE values.

## CRSP/COMPUSTAT SAS, ASCII, AND R FILES

These files are intended for use with the CRSP SAS and ASCII stock files and Compustat data files that contain GVKEYs and IIDs.

While a full subscription is required for either, for convenience and efficiency for some users, two packages are available:

- CFZ Complete set of all files
- CLZ Link package a subset of the full CRSP/ Compustat SAS, ASCII and R data files. The set consists only of files used for linking the CRSP and Compustat data. These files are intended for use with the CRSP SAS, ASCII and R stock files and Compustat data files that contain GVKEYs and IIDs.

These files are covered in existing CCM license agreements. To request them for download through CRSP's MOVEit site, please email support@crsp.org or call 312-263-6400, Option 2.

# **ABOUT THE MARCH 2023 CRSP/COMPUSTAT MERGED DATABASE**

The cut date for these release notes is 20230311.

#### **CALENDARS**

The CCM database utilizes the CRSP stock calendars to align properly with CRSP data. Data in the CRSP daily Stock (and Indexes) file use daily and annual calendars. Data in the monthly files use monthly, quarterly and annual calendars.

CALENDAR	DATE RANGE	DATE INDEX Range
DAILY TRADING CALENDAR	19251231-20230310	1-25596
MONTHLY TRADING CALENDAR	19251231-20271231	1-1225
ANNUAL TRADING CALENDAR	19251231-20241231	1-100
QUARTERLY TRADING CALENDAR	19251231-20231229	1-397
SEMI-ANNUAL TRADING CALENDAR	19251231-20231229	1-199
WEEKLY TRADING CALENDAR	19260102-20230310	1-5071

#### DATABASE CHARACTERISTICS

The following table summarizes general characteristics of the CCM database:

ATTRIBUTE	CCM FORMAT DATABASE		
SOURCE	COMPUSTAT XPRESSFEED		
VOLUME LABELS	CMZ20230310 - CRSPACCESS CFZ20230310 - SAS/ASCII/R CLZ20230310 (LINK ONLY) - SAS/ASCII/R		
DELIVERY	MOVEIT CLOUD		
CRSPACCESS VERSION	3.22 AND HIGHER — TS_PRINT CCM_PRINT		
CRSPSIFT VERSION (WINDOWS ONLY)	YES — ALL CURRENTLY SUPPORTED VERSIONS		
SASEXCCM ENGINE	VERSION 9.4		
С	YES — CA3.22 AND HIGHER		
NUMBER OF DATA ITEMS	OVER 4,000 QUARTERLY & ANNUAL DATA ITEMS		

DATABASE PARAMETERS				
TOTAL COMPUSTAT RECORDS	54,799			
TOTAL GVKEY COMPANIES	52,601			
TOTAL GVKEYX INDEXES	2,198			
TOTAL GVKEY/IID SECURITIES	70,152			
TOTAL CRSP SECURITIES LINKED	33,457			
TOTAL GVKEYS IN LINK	52,551			
TOTAL LINK RECORDS	115,794			
TOTAL LINK RECORDS WITH A LINK TO CRSP	38,885			
DB SIZE:				
CMZ	12.50 GB			
CFZ - ASCII CFZ - SAS CFZ - R	11.23 GB 31.03 GB 1.54 GB			
CLZ - ASCII CLZ - SAS CLZ - R	1.19 GB 1.95 GB 48.77 MB			



#### MARCH 2023 NEW DATA ITEMS

Listed in the tables below are new data items and new keysets for existing data items that have been added this month.

ITEM MNEMONIC	ITEM NAME	KEYSET	KEYSET_TAG	DESCRIPTION
REUNAQ_FN	UNADJUSTED RETAINED EARNINGS FN	7	SFAS	INDUSTRIAL FORMAT, PRE-FASB REPORTING, STANDARDIZED PRESENTATION
REUNA_FN	RETAINED EARNINGS - UNADJUSTED FN	7	SFAS	INDUSTRIAL FORMAT, PRE-FASB REPORTING, STANDARDIZED PRESENTATION

#### STEPS TO INSTALL:

- From the directory containing your downloaded zip file, right click (in Windows) or run File Roller (in Red Hat)
- Set the extract destination to the current higher level directory where data is normally stored and unzip will add the rest of the path (default is C:\ in Windows or /home in Red Hat)
- For example, in Windows, extracting to C:\ will install the data under C:\crspdata

Contact CRSP Client Services for assistance at: support@crsp.org or call 312-263-6400, Option 2.

### SETTING ENVIRONMENT VARIABLES FOR CDAB DATABASE

The zip process will not automatically set environment variables for use with command line tools. The following steps will do so.

NOTE: CRSPSift does not use and therefore does not require environment variables.

# LINUX

NOTE: The new zip installs are now saving to directories with lower case letters – for example, ~/crspdata/diz201308 Check the current state of the environment variables by entering this command: env | grep crsp

- If you have admin privileges on your machine, open the .profile file, and make updates to the following lines to update the paths for the new data installed:
  - o CRSP\_CCM=<full path name>/<compustat directory> (example: CRSP CCM=~/crspdata/cmz201309 )
- If you are using the bash shell (or any Bourne-style shell), enter the same commands above and export each one. This will make changes for your current session only and does not save to the .profile file.
- A shell script is available to make changes that can be reused for each update done. Note that this will only make changes to your current session and does not save to the .profile file.
  - o Navigate to where the CUPL tools are loaded and then enter: cd accbin
  - o Start the script by entering: ./crsp setup.sh
  - The script will prompt for the following:
    - File name (will be appended with .kshrc)
    - Top level directory (this should be where CUPL tools are located (example: ~/crsp )
    - Scratch directory for error messages name can be anything
    - Enter path for daily stock directory (example: ~/crspdata/diz201308)
    - Enter path for monthly stock directory (example: ~/crspdata/miz201308)
    - Enter path for index directory (example: ~/crspdata/ifz201308)
    - Enter path for CCM directory enter to leave blank
      (example: CRSP CCM=~/crspdata/cmz201309)
    - Enter path for CST directory enter to leave blank
    - Execute script by running: ../<file name created above>.kshrc (note there is a space between the two dots)

## WINDOWS:

The CRSP Client Environment utility provides users a way to check the location of the software and to set environment variables. The utility can be started by locating it under installed programs CRSPAccess/CRSP Client Environment, or by navigating to the /accbin folder where the CUPL tools are installed and running: Client\_Environment.exe. After making any changes, be sure to log off and back into Windows for the settings to be saved.

Click here to view a copy of the CRSP/Compustat Merged Database Guide.