

# CRSP/COMPUSTAT RELEASE NOTES

FEBRUARY 2025 MONTHLY UPDATE

## CRSP/COMPUSTAT SAS, ASCII, AND R FILES

These files are intended for use with the CRSP SAS and ASCII stock files and Compustat data files that contain GVKEYs and IIDs.

While a full subscription is required for either, for convenience and efficiency for some users, two packages are available:

- CFZ – Complete set of all files
- CLZ – Link package - a subset of the full CRSP/Compustat SAS, ASCII and R data files. The set consists only of files used for linking the CRSP and Compustat data. These files are intended for use with the CRSP SAS, ASCII and R stock files and Compustat data files that contain GVKEYs and IIDs.

These files are covered in existing CCM license agreements. To request them for download through CRSP's MOVEit site, please email [support@crsp.org](mailto:support@crsp.org) or call 312-263-6400, Option 2.

## ABOUT THE FEBRUARY 2025 CRSP/COMPUSTAT MERGED DATABASE

The cut date for these release notes is 20250208.

## CALENDARS

The CCM database utilizes the CRSP stock calendars to align properly with CRSP data. Data in the CRSP daily Stock (and Indexes) file use daily and annual calendars. Data in the monthly files use monthly, quarterly and annual calendars.

CALENDAR	DATE RANGE	DATE INDEX RANGE
DAILY TRADING CALENDAR	19251231-20250207	1-26077
MONTHLY TRADING CALENDAR	19251231-20301231	1-1261
ANNUAL TRADING CALENDAR	19251231-20261231	1-102
QUARTERLY TRADING CALENDAR	19251231-20251231	1-401
SEMI-ANNUAL TRADING CALENDAR	19251231-20251231	1-201
WEEKLY TRADING CALENDAR	19260102-20250207	1-5171

## DATABASE CHARACTERISTICS

The following table summarizes general characteristics of the CCM database:

ATTRIBUTE	CCM FORMAT DATABASE
SOURCE	COMPUSTAT XPRESSFEED
VOLUME LABELS	CMZ20250207 - CRSPACCESS CFZ20250207 - SAS/ASCII/R CLZ20250207 (LINK ONLY) - SAS/ASCII/R
DELIVERY	MOVEIT CLOUD
CRSPACCESS VERSION	3.22 AND HIGHER – TS_PRINT CCM_PRINT
CRSPSIFT VERSION (WINDOWS ONLY)	YES – ALL CURRENTLY SUPPORTED VERSIONS
SASEXCCM ENGINE	VERSION 9.4
C	YES – CA3.22 AND HIGHER
NUMBER OF DATA ITEMS	OVER 4,000 QUARTERLY & ANNUAL DATA ITEMS

DATABASE PARAMETERS	
TOTAL COMPUSTAT RECORDS	57,217
TOTAL GVKEY COMPANIES	55,019
TOTAL GVKEYX INDEXES	2,198
TOTAL GVKEY/IID SECURITIES	73,623
TOTAL CRSP SECURITIES LINKED	35,404
TOTAL GVKEYS IN LINK	54,969
TOTAL LINK RECORDS	122,111
TOTAL LINK RECORDS WITH A LINK TO CRSP	40,910
DB SIZE:	
CMZ	13.18 GB
CFZ - ASCII	11.80 GB
CFZ - SAS	32.50 GB
CFZ - R	1.62 GB
CLZ - ASCII	1.26 GB
CLZ - SAS	2.09 GB
CLZ - R	51.62 MB

## FEBRUARY 2025 INDIVIDUAL LINK EDITS

### 3144 COCA-COLA CO

OLD:

LINKDT	LINKENDDT	LPERMNO	LPERMCO	LIID	LINKTYPE	LINKPRIM
19500101	19620130	11308	20468	00X	LU	C
19620131	99999999	11308	20468	01	LU	P

NEW:

LINKDT	LINKENDDT	LPERMNO	LPERMCO	LIID	LINKTYPE	LINKPRIM
19500101	19620130	11308	20468	00X	LC	C
19620131	99999999	11308	20468	01	LC	P
20250131	99999999	0	0	90C	NR	J

### 11896 FIRST MIDWEST BANCORP INC

OLD:

LINKDT	LINKENDDT	LPERMNO	LPERMCO	LIID	LINKTYPE	LINKPRIM
19870101	19870129	35917	5908	00X	LU	C
19870130	20220228	35917	5908	01	LU	P

NEW:

LINKDT	LINKENDDT	LPERMNO	LPERMCO	LIID	LINKTYPE	LINKPRIM
19831230	19870129	35917	5908	00X	LC	C
19870130	20220228	35917	5908	01	LC	P
20220228	99999999	0	0	02	NR	J

## STEPS TO INSTALL:

- From the directory containing your downloaded zip file, right click (in Windows) or run File Roller (in Red Hat)
- Set the extract destination to the current higher level directory where data is normally stored and unzip will add the rest of the path (default is C:\ in Windows or /home in Red Hat)
- For example, in Windows, extracting to C:\ will install the data under C:\crspdata

Contact CRSP Client Services for assistance at: [support@crsp.org](mailto:support@crsp.org) or call 312-263-6400, Option 2.

## SETTING ENVIRONMENT VARIABLES FOR CDAB DATABASE

The zip process will not automatically set environment variables for use with command line tools. The following steps will do so.

NOTE: CRSPSift does not use and therefore does not require environment variables.

## LINUX

NOTE: The new zip installs are now saving to directories with lower case letters – for example, ~/crspdata/diz201308

Check the current state of the environment variables by entering this command: `env | grep crsp`

- If you have admin privileges on your machine, open the .profile file, and make updates to the following lines to update the paths for the new data installed:
  - `CRSP_CCM=<full path name>/<compustat directory>` (example: `CRSP_CCM=~/.crspdata/cmz201309` )
- If you are using the bash shell (or any Bourne-style shell), enter the same commands above and export each one. This will make changes for your current session only and does not save to the .profile file.
- A shell script is available to make changes that can be reused for each update done. Note that this will only make changes to your current session and does not save to the .profile file.
  - Navigate to where the CUPL tools are loaded and then enter: `cd accbin`

- Start the script by entering: `./crsp_setup.sh`
- The script will prompt for the following:
  - File name (*will be appended with .kshrc*)
  - Top level directory (this should be where CUPL tools are located (example: `~/crsp` )
  - Scratch directory for error messages – name can be anything
  - Enter path for daily stock directory  
(example: `~/crspdata/diz201308`)
  - Enter path for monthly stock directory  
(example: `~/crspdata/miz201308`)
  - Enter path for index directory  
(example: `~/crspdata/ifz201308`)
  - Enter path for CCM directory – enter to leave blank  
(example: `CRSP_CCM=~/crspdata/cmz201309` )
  - Enter path for CST directory – enter to leave blank
  - Execute script by running: `../<file name created above>.kshrc` (*note there is a space between the two dots*)

#### WINDOWS:

The CRSP Client Environment utility provides users a way to check the location of the software and to set environment variables. The utility can be started by locating it under installed programs CRSPAccess/CRSP Client Environment, or by navigating to the /accbin folder where the CUPL tools are installed and running: `Client_Environment.exe`. After making any changes, be sure to log off and back into Windows for the settings to be saved.

For more information, visit [crsp.org/research/crsp-compustat-merged-database](https://crsp.org/research/crsp-compustat-merged-database).